Brit. J. prev. soc. Med. (1962), **16**, 207

INDEX TO VOLUME XVI, 1962

Adiposity, indices of,
Admission to mental hospital observation wards, 22
Anaphylaxis due to serum-sensitivity not revealed by local test reactions, 111
Anencephalus, incidence of, in New York State and Scotland, 153
—, —, seasonal variations of, in Scotland, 159
Anthropometry, a new weight-for-height standard in, 189
see also: Physique
Austria, infant mortality in, 196

BENJAMIN, I. T.: *see* TROTTER, W. R., etc., 16
BERFENSTAM, R., and BESKOW, J.: Storage of poisons in the homes of families with small children, 123
BESKOW, J.: *see* BERFENSTAM, R., etc., 123
BILLEWICZ, W. Z., KEMSLEY, W. F. F., and THOMSON, A. M.: Indices of adiposity, 183
—: *see* KEMSLEY, W. F. F., etc., 189
Birth-standardized populations in study of cancer mortality, 93
Blood pressure of university entrants in N. Ireland, 76
Body build: *see* Physique
Body fat: *see* Adiposity; Physique
BROWN, G. W., MONCK, E. M., CARSTAIRS, G. M., and WING, J. K.: Influence of family life on the course of schizophrenic illness, 55

Cancer control, use of cancer registry in, 105
— mortality in England and Wales, 93
CARSTAIRS, G. M.: *see* BROWN, G. W., etc., 55
Central nervous system anomalies, incidence of, 153, 159
Children, access to poisons in the home, 123
—, enuretic, in Israel, 40
—, intelligence and physique of, related to family size, 165
CLARKE, A. H.: *see* HOBSON, D., etc., 84
Climate and poliomyelitis, 46, 49
COCHRANE, A. L.: *see* TROTTER, W. R., etc., 16
*COFFEY, V. P.: Maternal anaemia and congenital deformity, 52
Consultation of general practitioners, social class habits of, 147
CZERMAK, H., and HANSLUWKA, H.: Infant mortality in Austria, 196

Diet and prevalence of goitre, 16
Drugs, storage of, in homes of small children, 123

Echovirus Type 9 infection in Sheffield in 1960, 84
EILENBERG, M. D., PRITCHARD, M. J., and WHATMORE, P. B.: A twelve-month survey of observation ward practice, 22
England and Wales, cancer mortality in, studied by birth-standardized populations, 93
—, increase of gonorrhoea in, reasons for, 113
Enuresis among school-entrants in Israel, 40
Exanthema due to virus infection, 84
EXLEY, D.: *see* TROTTER, W. R., 16

Family attitudes to patients in mental hospitals, 1
Family influence on schizophrenic illness, 55
— size and physique related to intelligence, 165
Fat: *see* Adiposity; Physique
Fish, consumption of, and prevalence of goitre, 16
FOLKARD, S., MANDELBROTE, B., and MUNRO, M.: Personal problems associated with mental health and mental illness, 69
Food as source of iodine in prevention of goitre, 16
*FOWLER, G. B.: Fat in the Rhondda Fach, 51

GALBRAITH, N. S.: *see* MILLER, D. L., etc., 203
General practice, incidence of nasal carriers of staphylococci resistant to penicillin in Isle of Wight and Lewisham, 203
— —, referral of patients to psychiatrists in, 174
— —, social class habits of consulting in, 147
GITTELSOHN, A. M., and MILHAM, S.: Declining incidence of central nervous system anomalies in New York State, 153
Glamorgan, goitre survey in Vale of, 16
Goitre, endemic, influence of local water supply and diet on, 16
— survey in the Vale of Glamorgan, 16
Gonorrhoea, failure of control of, factors leading to, 113
GREEN, S.: *see* MILLER, D. L., etc., 203
GUTHKELCH, A. N.: Studies in spina bifida cystica. III. Seasonal variations in the frequency of spina bifida births, 159

HALEVI, H. S.: *see* THAUSTEIN, J., etc., 40
HANSLUWKA, H.: *see* CZERMAK, H., etc., 196
HAYBITTLE, J. L.: Study of cancer mortality in England and Wales using birth-standardized populations, 93
Health, mental: *see* Mental health
—, physical, and mental illness, 69
Height: *see* Physique
Historical survey of legal aspects of admission to mental hospitals, 2
HOBSON, D., HOSKINS, J. M., HORNER, J., CLARKE, A. H., and WOOD, F. B. G.: Clinical, epidemiological, and virological aspects of Echovirus Type 9 in Sheffield, 1960, 84
HORNER, J.: *see* HOBSON, D., etc., 84
HOSKINS, J. M.: *see* HOBSON, D., etc., 84
Hospitals, mental, attitudes of relatives to patients in, 1
—, —, observation ward practice in, 22
—, —, physique and occupation of male patients in, 130
Hydrocephalus, incidence of, in New York State and Scotland, 153

Immigrants as a factor in spread of gonorrhoea in England and Wales, 113
Intelligence related to physique and family size, 165
Iodine intake and prevalence of goitre, 16
Israel, changing population of, enuresis among school-entrants in, 40

JOHNSTON, W., and MERRETT, J. D.: Further observations on routine medical examinations of university entrants in N. Ireland, 76

KEDWARD, H. B.: Social class habits of consulting, 147
KEMSLEY, W. F. F., BILLEWICZ, W. Z., and THOMSON, A. M.: A new weight-for-height standard based on British anthropometric data, 189
—: *see* BILLEWICZ, W. Z., etc. 183

LAURENT, L. J. M., and PARISH, H. J.: Unreliability of local reactions to serum as tests for general sensitivity, 111
LAWRENCE, E. N.: Importance of meteorological factors to the incidence of poliomyelitis, 46
Laws relating to mental hospital admissions, 22
*LAWTHER, P. J., WALTER, R. E., and HENDERSON, M.: Effects of weather and air pollution on bronchitic patients, 52
*LECK, I. M.: Season of birth in relation to other variables, 51
Legitimacy and infant mortality, 196
London, intelligence and physique of schoolchildren in, related to family size, 165
LOUDON, J. B.: *see* RAWNSLEY, K., etc., 1, 174
*LOWE, C. R.: Arterial blood pressure, physique, and occupation, 52
Lunacy Act: *see* Laws relating to mental hospitals

*MCDONALD, A. D.: Prematurity, 52
*MCFARLAN, A. M.: Spot maps of epidemics, 52
Malformations, congenital, of central nervous system, incidence of, 153, 159
Manchester, incidence of spina bifida in, seasonal variations in, 159
MANDELBROTE, B.: *see* FOLKARD, S., etc., 69
Medical examination of University entrants in N. Ireland, 76
Meningitis due to Echovirus Type 9 infection, 84
Mental Health Act, 1959, effects of, on observation ward practice, 22
— — in general practice and referral to psychiatrists, 174
— — and illness, personal problems and, 69
— hospitals, attitudes of relatives to patients in, 1
— — observation ward practice, 22
— —, physique and occupation of men admitted to, 130
— illness, family influence on, 1, 55
MERRETT, J. D.: *see* JOHNSTON, W., etc., 76
Meteorology and incidence of poliomyelitis, 46, 49
MIALL, W. E.: *see* TROTTER, W. R., etc., 16
MILES, H. L.: *see* RAWNSLEY, K., etc., 1
MILHAM, S.: *see* GITTELSOHN, A. M., etc., 153
MILLER, D. L., GALBRAITH, N. S., and GREEN, S.: Nasal carriers of penicillin resistant staphylococci in the general population, 203
MONCK, E. M.: *see* BROWN, G. W., etc., 55
Mooney Problem Check List in assessment of mental health and illness, 69
Mortality from cancer in England and Wales studied with birth-standardized populations, 93
—, infant, in Austria, 196
MUNRO, M.: *see* FOLKARD, S., etc., 69

Neurosis, personal problems and, 69
*NEWHOUSE, M.: Occupational dermatoses in an automobile factory, 51
New York State, declining incidence of central nervous system anomalies in, 153
N. Ireland, medical examination of university entrants in, 76
Norway, cancer registry organization in, 105

Obesity: *see* Adiposity
Observation ward practice, a 12-month survey of, 22
Occupation of male mental hospital patients, 130

PARISH, H. J.: *see* Laurent, L. J. M., etc., 111
PARNELL, R. W., and SOMERSET, H. C. A.: Physique and occupation of men admitted to mental hospitals, 130
PEDERSEN, E.: Some uses of the cancer registry in cancer control, 105
Penicillin, nasal carriers of staphylococci resistant to, 203
Personality problems and mental health and illness, 69
Phenotypes of male mental hospital patients, 130
Physique and family size related to intelligence in London schoolchildren, 165
— of male mental hospital patients, 130
— of university entrants in N. Ireland, 76
Poisons, storage of, in homes of families with small children, 123
Poliomyelitis, meteorological factors and incidence of, 46, 49
Ponderal index as measure of body build, 130
Population, birth-standardized, in study of cancer mortality, 93
PRITCHARD, M. J.: *see* EILENBERG, M. D., etc., 22
Prostitution as a factor in spread of gonorrhoea, 113
Psychiatry, referral of patients for, by general practitioners, 174
Pulse rate of university entrants in N. Ireland, 76

Quetelet's index in measurement of body fat, 183

Rash due to virus infection, 84
RAWNSLEY, K., and LOUDON, J. B.: Factors influencing the referral of patients to psychiatrists by general practitioners, 174
—, —, and MILES, H. L.: Attitudes of relatives to patients in mental hospitals, 1
Rehabilitation of mental patients, family attitude and, 1
— of schizophrenics, family influence on, 55
Relatives, attitude of, to mental hospital patients, 1
—, influence of, on schizophrenics, 55

Schizophrenia, family influence on course of, 55
—, personal problems and, 69
Scotland, central nervous system anomalies in, 153, 159
—, tuberculosis rates in, represented by isoarchic and isodemic diagrams, 30
SCOTT, J. A.: Intelligence, physique, and family size, 165
Sensitivity, general unreliability of local serum reactions as test of, 111
Serum, local reaction to, as test for general sensitivity, 111
Sheffield, Echovirus Type 9 infection in, in 1960, 84
Social class habits of consulting, 147
— — of mental patients and attitude of relatives, 1
Society for Social Medicine. 5th annual meeting, 1961, 51
— — —. Programme for 6th Annual Meeting, 1962, 163
Somatypes of male mental hospital patients, 130
SOMERSET, H. C. A.: *see* PARNELL, R. W., 130
South Wales, goitre in, 16
— —, survey of population in six general practices showing referrals for psychiatric examination, 174
SPICER, C. C.: Comments on Mr. E. N. Lawrence's paper on Poliomyelitis and Meteorological Factors, 49
Spina bifida, incidence of, in New York State and Scotland, 153
— —, seasonal variations in incidence of, in Manchester, 159

Staphylococci resistant to penicillin, nasal carriers of, 203
Statistics, national, regional, and local, representation of, 30
Stillbirth in Austria, 196
*Susser, M.: Fluctuations in peptic ulcer mortality, 53
Sutherland, I. N.: Representation of national, regional, and local statistics, 30
Sweden, storage of poisons in homes of small children in, 123

Teenagers: *see* Young people
Thaustein, J., and Halevi, H. S.: Enuresis among school-entrants in the changing population of Israel, 40
Thomson, A. M.: *see* Billewicz, W. Z., etc., 183
—: *see* Kemsley, W. F. F., etc., 189
*Tizard, J., and Goodman, N.: Prevalence of mental defect in children in a metropolitan area, 53
Trotter, W. R., Cochrane, A. L., Benjamin, I. T., Miall, W. E., and Exley, D.: A goitre survey in the Vale of Glamorgan, 16
Tuberculosis rates in areas of Scotland, representation of, by isoarchic and isodemic diagrams, 30

Venereal disease in England and Wales, failure to control, 113
Virus infections causing meningitis and exanthemata, 84
Visiting of mental patients by relatives, effects of, on recovery and rehabilitation, 1
Visual acuity of university entrants in N. Ireland, 76
Vital capacity of university entrants in N. Ireland, 76

Water supply, iodine in, and prevalence of goitre, 16
Weather and poliomyelitis, 46, 49
Weight-for-height standard, 189
Weight : Height ratio as measurement of body fat, 183
— of university entrants in N. Ireland, 76
see also: Physique
Whatmore, P. B.: *see* Eilenberg, M. D., etc., 22
Willcox, R. R.: Factors leading to a failure of gonorrhoea control, 113
Wing, J. K.: *see* Brown, G. W., etc., 55
Wood, F. B. G.: *see* Hobson, D., etc., 84

Young men and women, medical examination of, in N. Ireland, 76
— people, increase in gonorrhoea among, reasons for, 113